

Periodic Table of the Elements

	IA																VIII	
1	1 H 1.008	IIA															2 He 4.00	
2	3 Li 6.94	4 Be 9.01																
3	11 Na 22.99	12 Mg 24.30																
			IIIB	IVB	VB	VIB	VIIB	VIII			IB	IIB	IIIA	IVA	VA	VIA	VIIA	
4	19 K 39.10	20 Ca 40.08	21 Sc 44.96	22 Ti 47.88	23 V 50.94	24 Cr 52.00	25 Mn 54.94	26 Fe 55.85	27 Co 58.93	28 Ni 58.69	29 Cu 63.55	30 Zn 65.38	31 Ga 69.72	32 Ge 72.59	33 As 74.92	34 Se 78.96	35 Br 79.90	36 Kr 83.80
5	37 Rb 85.47	38 Sr 87.62	39 Y 88.91	40 Zr 91.22	41 Nb 92.91	42 Mo 95.94	43 Tc (98)	44 Ru 101.1	45 Rh 102.9	46 Pd 106.4	47 Ag 107.9	48 Cd 112.4	49 In 114.8	50 Sn 118.7	51 Sb 121.8	52 Te 127.6	53 I 126.9	54 Xe 131.3
6	55 Cs 132.9	56 Ba 137.3	57 La 138.9	72 Hf 178.5	73 Ta 180.9	74 W 183.8	75 Re 186.2	76 Os 190.2	77 Ir 192.2	78 Pt 195.1	79 Au 197.0	80 Hg 200.6	81 Tl 204.4	82 Pb 207.2	83 Bi 209.0	84 Po (209)	85 At (210)	86 Rn (222)
7	87 Fr (223)	88 Ra 226.0	89 Ac 227.0	104 Rf (261)	105 Db (262)	106 Sg (263)	107 Bh (262)	108 Hs (265)	109 Mt (266)									

Lanthanides	58 Ce 140.1	59 Pr 140.9	60 Nd 144.2	61 Pm (145)	62 Sm 150.4	63 Eu 152.0	64 Gd 157.2	65 Tb 158.9	66 Dy 162.5	67 Ho 164.9	68 Er 167.3	69 Tm 168.9	70 Yb 173.0	71 Lu 175.0
Actinides	90 Th 232.0	91 Pa 231.0	92 U 238.0	93 Np 237.0	94 Pu (244)	95 Am (243)	96 Cm (247)	97 Bk (247)	98 Cf (251)	99 Es (252)	100 Fm (257)	101 Md (258)	102 No (259)	103 Lr (260)

Useful Information

$$PV = nRT$$

$$R = 0.0821 \frac{\text{L}\cdot\text{atm}}{\text{mol}\cdot\text{K}} = 8.314 \frac{\text{J}}{\text{mol}\cdot\text{K}}$$

$$\ln\left(\frac{vp_2}{vp_1}\right) = -\frac{\Delta H^\circ_{\text{vap}}}{R} \left(\frac{1}{T_2} - \frac{1}{T_1}\right)$$

$$\text{density of H}_2\text{O} = 1.00 \frac{\text{g}}{\text{cm}^3}$$

$$\text{edge length (l)} = 2r$$

$$\text{edge length (l)} = 2\sqrt{2} \cdot r \quad \text{edge length (l)} = \frac{4r}{\sqrt{3}}$$

$$\text{density of H}_2\text{O} = 1.00 \frac{\text{g}}{\text{cm}^3}$$

$$\Delta H^\circ_{\text{rxn}} = \sum(\Delta H_f^\circ(\text{products})) - \sum(\Delta H_f^\circ(\text{reactants}))$$

Temperature (°C)	Vapor Pressure(mmHg)	Temperature (°C)	Vapor Pressure(mmHg)
-5	3.2	50	92.5
0	4.6	55	118.0
5	6.52	60	149.4
10	9.20	65	187.5
15	12.8	70	233.7
20	17.5	75	289.1
25	23.8	80	355.1
30	31.8	85	433.6
35	42.1	90	525.8
40	55.3	95	633.9
45	71.9	100	760

Solubility Table

<u>Ion</u>	<u>Solubility</u>	<u>Exceptions</u>
NO ₃ ⁻	soluble	none
ClO ₄ ⁻	soluble	none
Cl ⁻	soluble	except Ag ⁺ , Hg ₂ ²⁺ , *Pb ²⁺
I ⁻	soluble	except Ag ⁺ , Hg ₂ ²⁺ , Pb ²⁺
SO ₄ ²⁻	soluble	except Ca ²⁺ , Ba ²⁺ , Sr ²⁺ , Hg ²⁺ , Pb ²⁺ , Ag ⁺
CO ₃ ²⁻	insoluble	except Group IA and NH ₄ ⁺
PO ₄ ³⁻	insoluble	except Group IA and NH ₄ ⁺
-OH	insoluble	except Group IA, *Ca ²⁺ , Ba ²⁺ , Sr ²⁺
S ²⁻	insoluble	except Group IA, IIA and NH ₄ ⁺
Na ⁺	soluble	none
NH ₄ ⁺	soluble	none
K ⁺	soluble	none

*slightly soluble

Simple Ionic Structures Grouped According to Anion Packing

Structure Name	Anion Packing	Coordination Number	Sites Occupied by Cations	Examples
Rock Salt	ccp	6:6 MO	all octahedral	NaCl, LiF, KBr, CdO, FeO, MgO
Zinc Blende	ccp	4:4 MO	$\frac{1}{2}$ tetrahedral	ZnS, BeO, SiC
Antifluorite	ccp	4:8 M ₂ O	all tetrahedral	Li ₂ O, sulfides
Rutile	distorted ccp	6:3 MO ₂	$\frac{1}{2}$ octahedral	TiO ₂ , GeO ₂ , MnO ₂ , OsO ₂
Perovskite	ccp	12:6:6 ABO ₃	$\frac{1}{4}$ octahedral(B)	CaTiO ₃ , SrSnO ₃
Spinel	ccp	4:6:4 AB ₂ O ₄	$\frac{1}{8}$ tetrahedral(A) $\frac{1}{2}$ octahedral(B)	MgAl ₂ O ₄ , FeAlO ₄
Cesium Chloride	simple cubic	8:8 MO	all cubic	CsCl, CsBr, CsI
Fluorite	simple cubic	8:4 MO ₂	$\frac{1}{2}$ cubic	CaF ₂ , UO ₂ , ThO ₂

Lattice Types and Radius Ratios of Cations and Anions

Radius Ratio (Cation/Anion)	Lattice Type	Coordination Number of	
		Cation	Anion

A. 1:1 Stoichiometry of Salt (MX)

0.225 – 0.414	Zinc Blende	4	4
0.414 – 0.732	Rock salt (NaCl)	6	6
0.732 – 1.000	Cesium chloride	8	8

B. 1:2 Stoichiometry of Salt (MX₂)

0.225 – 0.414	Beta-quartz	4	2
0.414 – 0.732	Rutile (TiO ₂)	6	3
0.732 – 1.000	Fluorite (CaF ₂)	8	4

Metal	Half-Reaction Reaction
Lithium	$\text{Li} \rightarrow \text{Li}^+ + \text{e}^-$
Potassium	$\text{K} \rightarrow \text{K}^+ + \text{e}^-$
Barium	$\text{Ba} \rightarrow \text{Ba}^{2+} + 2\text{e}^-$
Calcium	$\text{Ca} \rightarrow \text{Ca}^{2+} + 2\text{e}^-$
Sodium	$\text{Na} \rightarrow \text{Na}^+ + \text{e}^-$
Magnesium	$\text{Mg} \rightarrow \text{Mg}^{2+} + 2\text{e}^-$
Aluminum	$\text{Al} \rightarrow \text{Al}^{3+} + 3\text{e}^-$
Manganese	$\text{Mn} \rightarrow \text{Mn}^{2+} + 2\text{e}^-$
Zinc	$\text{Zn} \rightarrow \text{Zn}^{2+} + 2\text{e}^-$
Chromium	$\text{Cr} \rightarrow \text{Cr}^{3+} + 3\text{e}^-$
Iron	$\text{Fe} \rightarrow \text{Fe}^{2+} + 2\text{e}^-$
Cobalt	$\text{Co} \rightarrow \text{Co}^{2+} + 2\text{e}^-$
Nickel	$\text{Ni} \rightarrow \text{Ni}^{2+} + 2\text{e}^-$
Tin	$\text{Sn} \rightarrow \text{Sn}^{2+} + 2\text{e}^-$
Lead	$\text{Pb} \rightarrow \text{Pb}^{2+} + 2\text{e}^-$
Hydrogen	$\text{H}_2 \rightarrow 2\text{H}^+ + 2\text{e}^-$
Copper	$\text{Cu} \rightarrow \text{Cu}^{2+} + 2\text{e}^-$
Silver	$\text{Ag} \rightarrow \text{Ag}^+ + \text{e}^-$
Mercury	$\text{Hg} \rightarrow \text{Hg}^{2+} + 2\text{e}^-$
Platinum	$\text{Pt} \rightarrow \text{Pt}^{2+} + 2\text{e}^-$
Gold	$\text{Au} \rightarrow \text{Au}^{3+} + 3\text{e}^-$